



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/287,304	04/07/1999	AKIRA YAMAMOTO	0941.63012	6149

24978 7590 12/13/2001

GREER, BURNS & CRAIN  
300 S WACKER DR  
25TH FLOOR  
CHICAGO, IL 60606

EXAMINER

PIZIALI, JEFFREY J

ART UNIT

PAPER NUMBER

2673

DATE MAILED: 12/13/2001

15

Please find below and/or attached an Office communication concerning this application or proceeding.

84

# Office Action Summary

Application No.

09/287,304

Applicant(s)

YAMAMOTO ET AL.

Examiner

Jeff Piziali

Art Unit

2673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 21 November 2001.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☒ The proposed drawing correction filed on 21 November 2001 is: a) ☒ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 13.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Drawings*

1. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on November 21, 2001 have been approved.

### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

3. Claims 1-15 are rejected under 35 U.S.C. 102(e) as being anticipated by Youn (US 5,856,816).

Regarding claim 1, Youn discloses a liquid crystal display device including a data driver [Fig. 3] and a gate driver [Fig. 2, 3], comprising an LCD panel [Fig. 2, 1]; a substrate on which the LCD panel, the data driver and the gate driver are integrally formed; the data driver being divided into a plurality of blocks so as to divide the LCD panel into section arranged side by side, which simultaneously supply the LCD panel with display signals respectively supplied thereto; wherein each of the blocks includes a plurality of signal lines that are arranged adjacent to each other along a single edge of the LCD panel (Column 1, Line 10 - Column 2, Line 20).

Art Unit: 2673

Regarding claim 2, Youn discloses a block comprising a shift register [Fig. 5, 21]; signal lines [Fig. 5, Y] to which the display signals are supplied; data bus lines connected to the signal lines and the LCD panel; and analog switches [Fig. 5, 29-30] provided in the data bus lines and controlled by an output signal of the shift register thereto (Column 4, Line 39 - Column 5, Line 38).

Regarding claim 3, Youn discloses a driver device [Fig. 5, 22-23] which receives display data [Fig. 5, D] externally supplied and outputs the display signals derived therefrom to the blocks of the data driver (Column 4, Line 39 - Column 5, Line 21).

Regarding claim 4, Youn discloses a plurality of driver devices [Fig. 5, 22-23] which are respectively associated with a plurality of ones of the blocks, each of the plurality of driver devices receiving display data [Fig. 5, D] externally supplied and outputting the display signals derived therefrom to associated blocks of the data driver (Column 4, Line 39 - Column 5, Line 38).

Regarding claim 5, Youn discloses the display signal lines of the associated blocks have parts extending from one of the plurality of driver devices through a space located between the associated blocks [Fig. 5].

Regarding claim 6, Youn discloses a substrate on which the LCD panel, data driver and gate driver are integrally formed (Column 1, Lines 10-20).

Regarding claim 7, Youn discloses the data driver comprises polysilicon transistors (Column 1, Lines 10-20).

Regarding claim 8, Youn discloses a display signal supply device [Fig. 5, 22-23] which outputs the display data [Fig. 5, D] to the driver device (Column 4, Line 39 - Column 5, Line 21).

Regarding claim 9, Youn discloses the display signal display device is formed on the LCD panel (Fig. 1; Column 1, Line 10 - Column 2, Line 20).

Regarding claim 10, Youn discloses a display signal supply device [Fig. 5, 22-23] which outputs the display data [Fig. 5, D] to the plurality of driver devices (Column 4, Line 39 - Column 5, Line 21).

Regarding claim 11, Youn discloses each of the plurality of blocks supplies the LCD panel with a given number of display signals at once (Column 4, Line 39 - Column 5, Line 38).

Regarding claim 12, Youn discloses the driver device comprises a shift register [Fig. 5, 21] which outputs a shift signal, first latch circuits [Fig. 5, 22-23] which latch the display data in response to the shift signal, and second latch circuits [Fig. 5, 25-26] which latch the display data from the first latch circuits in response to a latch enable signal externally supplied (Column 4, Line 39 - Column 5, Line 38).

Regarding claim 13, Youn discloses digital-to-analog converters [Fig. 5, 27-28] which convert the display data from the second latch circuits into analog signals (Column 5, Lines 4-13).

Regarding claim 14, Youn discloses a liquid crystal display device including a data driver [Fig. 3] and a gate driver [Fig. 2, 3], comprising an LCD panel [Fig. 2, 1]; and groups of signal lines [Fig. 2,  $D_n$ ] for carrying display signals, the signal lines within each of the groups being adjacent to each other along a single edge of the LCD panel, and the data driver being divided into a plurality of blocks [Fig. 2, 2a & 2b] from which the groups of signal lines extend over corresponding partial areas [Fig. 2,  $D_1$ - $D_{2n-1}$  &  $D_2$ - $D_{2n}$ ] of the LCD panel so that each of the groups of signal lines is associated with a respective one of the blocks of the data driver (Column 1, Line 10 - Column 2, Line 20).

Regarding claim 15, Youn discloses a liquid crystal display device including a data driver [Fig. 3] and a gate driver [Fig. 2, 3], comprising an LCD panel [Fig. 2, 1]; signal lines extending from the data driver [Fig. 2,  $D_n$ ] and carrying display signals, the data driver and the signal lines being divided into a plurality of blocks [Fig. 2, 2a & 2b] so that the divided signal lines extending from one of the plurality of blocks extends over a corresponding divided area [Fig. 2,  $D_1$ - $D_{2n-1}$  &  $D_2$ - $D_{2n}$ ] of the LCD panel; the divided signal lines in each of the plurality of blocks being adjacent to each other along a single edge of the LCD panel (Column 1, Line 10 - Column 2, Line 20).

Art Unit: 2673

4. Claims 16 and 17 are rejected under 35 U.S.C. 102(e) as being anticipated by Kubota et al. (US 6,067,066).

Regarding claim 16, Kubota discloses a liquid crystal display device including a data driver [Fig. 2, 2] and a gate driver [Fig. 2, 3], comprising an LCD panel [Fig. 2, 1]; a substrate [Fig. 2, 7] on which the LCD panel, the data driver and the gate driver are integrally formed (Column 19, Line 60 - Column 20, Line 16); the data driver being divided into a plurality of blocks [Fig. 33, 11 & 41-43] arranged side by side along a single edge (i.e. the top edge) of the LCD panel (Column 29, Lines 43-56).

Regarding claim 17, Kubota discloses the data driver comprises polysilicon transistors (Column 29, Lines 9-14).

### *Response to Arguments*

5. Applicants' arguments filed November 21, 2001 have been fully considered, but in regards to claims 1-15, they are not persuasive. The applicants contend Youn does not disclose that each of the data driving blocks includes a plurality of signal lines arranged adjacent to each other along a single edge of the LCD panel. However, the examiner very respectfully disagrees. Youn teaches a data driver being divided into dual driver blocks [Fig. 2, 2a & 2b] which drive odd and even data lines [Fig. 2, D<sub>1</sub>-D<sub>2n</sub>] respectively. Along the top-edge of Youn's LCD panel [Fig. 2, 1], odd-numbered data lines [Fig. 2; D<sub>1</sub>, D<sub>3</sub>, ..., D<sub>2n-1</sub>] are arranged adjacent to each other. Along the bottom-edge of the same LCD panel, even-numbered data lines [Fig. 2; D<sub>2</sub>, D<sub>4</sub>, ..., D<sub>2n</sub>] are arranged adjacent to each other.

The examiner confesses that the odd data lines are not adjacent to one another within the LCD panel itself. Likewise, the even data lines are not adjacent to one another within the LCD panel. However, respectively along the top and bottom edges of the LCD panel, the odd data lines and the even data lines are arranged directly adjacent to each other. The examiner additionally notes that the top and bottom edges comprise two separate and distinct edges of the LCD panel. However, pending claim language only necessitates that each block's signal lines be adjacently arranged along a single edge -- not that such an edge must be commonly shared by all the blocks. Under such reasoning, the rejection of claims 1-15 is deemed proper and thereby maintained.

On the other hand, the applicants' arguments regarding claim 16 were persuasive. The prior art of Youn having been overcome by the applicants' amendment; the examiner is now newly relying upon Kubota et al. for the rejection of claims 16 and 17.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeff Piziali whose telephone number is (703) 305-8382. The examiner can normally be reached on Monday - Friday (6:30AM - 3PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on (703) 305-4938. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9314 for regular communications and (703) 872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4700.

  
J.P.

December 5, 2001

  
BIPIN SHALWALA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600